

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	258	(network or internet) and (shar\$3 with upload\$3 with (image\$1 or photo or picture\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 15:10
L2	18	L1 and metadata and (logical\$2 and (partition\$3 or section\$1 or block\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 15:11
L3	46	metadata same logic\$3 same ((partition\$3 or section\$1 or segment\$3 or portion\$3) with (cop\$3 or replicat\$4 or duplicat\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 15:27
L4	375	(metadata same logic\$3 same (partition\$3 or section\$1 or segment\$3 or portion\$3)).clm"	US-PGPUB	OR	ON	2006/11/09 15:28
L6	29	(metadata with logic\$3 with (partition\$3 or section\$1 or segment\$3 or portion\$3)).clm.	US-PGPUB	OR	ON	2006/11/09 15:28



Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(network <and> sharing <near/2> image <in>metadata)"

e-mail

Your search matched 36 of 1430374 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

view selected items

[Select All](#) [Deselect All](#)

- ☐ 1. **Super high definition imaging system in ATM network**
Suzuki, R.; Tanno, O.; Kunimi, A.; Koshiji, M.; Kato, K.; Murakami, T.;
[Image Processing and its Applications, 1995., Fifth International Conference on](#)
4-6 Jul 1995 Page(s):475 - 479
[AbstractPlus](#) | Full Text: [PDF](#)(284 KB) IEE CNF
- ☐ 2. **Expanding the digital camera's reach**
Chandra Narayanaswami; Raghunath, M.T.;
[Computer](#)
Volume 37, Issue 12, Dec. 2004 Page(s):65 - 73
Digital Object Identifier 10.1109/MC.2004.243
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(840 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ 3. **A bowling scoring network system (BSNS) with a share recognition and workstation (SRCW)**
Li Xiongjun; Xiao Huanxiong; Wang Jinsong; Mingzhe Wang;
[Intelligent Processing Systems, 1997. ICIPS '97. 1997 IEEE International Conf](#)
Volume 2, 28-31 Oct. 1997 Page(s):1664 - 1667 vol.2
Digital Object Identifier 10.1109/ICIPS.1997.669326
[AbstractPlus](#) | Full Text: [PDF](#)(448 KB) IEE CNF
[Rights and Permissions](#)
- ☐ 4. **A peer-to-peer environment to share medical images and diagnoses provided based searching**
Blanquer, I.; Hernandez, V.; Mas, F.;
[Parallel, Distributed and Network-Based Processing, 2005. PDP 2005. 13th European Conference on](#)
9-11 Feb. 2005 Page(s):42 - 48
Digital Object Identifier 10.1109/EMPDP.2005.7
[AbstractPlus](#) | Full Text: [PDF](#)(376 KB) IEE CNF
[Rights and Permissions](#)
- ☐ 5. **An original approach for the localization of objects in images**
Vaillant, R.; Monrocoq, C.; Le Cun, Y.;
[Artificial Neural Networks, 1993., Third International Conference on](#)
25-27 May 1993 Page(s):26 - 30

[AbstractPlus](#) | Full Text: [PDF\(412 KB\)](#) IEE CNF

- ☐ 6. **Representations of bodily interaction on networked "Lazy Susan"**
Wesugi, S.; Ishikawa, K.; Katayama, T.; Miwa, Y.;
[Computational Intelligence in Robotics and Automation, 2003. Proceedings. 2003 International Symposium on](#)
Volume 1, 16-20 July 2003 Page(s):223 - 228 vol.1
[AbstractPlus](#) | Full Text: [PDF\(614 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ 7. **Backpropagation algorithm for multiresolution image classification**
Osman, H.; Blostein, S.D.;
[Image Processing, 1999. ICIP 99. Proceedings. 1999 International Conference](#)
Volume 1, 1999 Page(s):519 - 523 vol.1
Digital Object Identifier 10.1109/ICIP.1999.821683
[AbstractPlus](#) | Full Text: [PDF\(292 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ 8. **A distributed health information network for consultative services in surgery**
Foran, D.J.; Goodell, L.A.; Trelstad, R.L.;
[Engineering in Medicine and Biology Society, 1995. IEEE 17th Annual Conference](#)
Volume 1, 20-23 Sept. 1995 Page(s):751 - 752 vol.1
Digital Object Identifier 10.1109/IEMBS.1995.575345
[AbstractPlus](#) | Full Text: [PDF\(224 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ 9. **Multimedia information sharing in the heterogeneous environment**
Zhang Jianpei; Liu Qun; Xia Hong;
[Intelligent Processing Systems, 1997. ICIPS '97. 1997 IEEE International Conference on](#)
Volume 2, 28-31 Oct. 1997 Page(s):1044 - 1046 vol.2
Digital Object Identifier 10.1109/ICIPS.1997.669136
[AbstractPlus](#) | Full Text: [PDF\(371 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ 10. **A neural network approach for visual cryptography**
Tai-Wen Yue; Suchen Chiang;
[Neural Networks, 2000. IJCNN 2000. Proceedings of the IEEE-INNS-ENNS International Conference on](#)
Volume 5, 24-27 July 2000 Page(s):494 - 499 vol.5
Digital Object Identifier 10.1109/IJCNN.2000.861518
[AbstractPlus](#) | Full Text: [PDF\(556 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ 11. **Virtual Microscopy: Potential Applications in Medical Education and Telemedicine in Developing Countries**
Fontelo, P.; DiNino, E.; Johansen, K.; Khan, A.; Ackerman, M.;
[System Sciences, 2005. HICSS '05. Proceedings of the 38th Annual Hawaii International Conference on](#)
03-06 Jan. 2005 Page(s):153c - 153c
Digital Object Identifier 10.1109/HICSS.2005.676
[AbstractPlus](#) | Full Text: [PDF\(216 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ 12. **Grid databases for shared image analysis in the MammoGrid project**
Amendolia, S.R.; Estrella, F.; Hauer, T.; Manset, D.; McClatchey, R.; Odeh, M.; Rogulin, D.; Schottlander, D.; Solomonides, T.;
[Database Engineering and Applications Symposium, 2004. IDEAS '04. Proceedings. 2004 International](#)
7-9 July 2004 Page(s):302 - 311

Digital Object Identifier 10.1109/IDEAS.2004.1319804

[AbstractPlus](#) | Full Text: [PDF\(703 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **13. A multimedia integration trial for groupware with video-on-demand**
Fukuoka, H.; Mizuno, H.;
[Community Networking, 1996. Proceedings., 3rd International Workshop on](#)
23-24 May 1996 Page(s):97 - 102
Digital Object Identifier 10.1109/CN.1996.534649
[AbstractPlus](#) | Full Text: [PDF\(504 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **14. Performance analysis of two frozen image based backup/restore method**
Chung-Yen Chang; Yi-Chun Chu; Taylor, R.;
[Electro Information Technology, 2005 IEEE International Conference on](#)
22-25 May 2005 Page(s):6 pp.
Digital Object Identifier 10.1109/EIT.2005.1626989
[AbstractPlus](#) | Full Text: [PDF\(184 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **15. Scalable coded image transmissions over peer-to-peer networks**
Xiao Su; Fatoohi, R.;
[Multimedia and Expo, 2003. ICME '03. Proceedings. 2003 International Confer](#)
Volume 1, 6-9 July 2003 Page(s):I - 493-6 vol.1
Digital Object Identifier 10.1109/ICME.2003.1220962
[AbstractPlus](#) | Full Text: [PDF\(352 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **16. Hot spot analysis in large scale shared memory multiprocessors**
Harzallah, K.; Sevcik, K.C.;
[Supercomputing '93. Proceedings](#)
15-19 Nov. 1993 Page(s):895 - 905
Digital Object Identifier 10.1109/SUPERC.1993.1263548
[AbstractPlus](#) | Full Text: [PDF\(596 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **17. A new scheme for sharing secret color images in computer network**
Chin-Chen Chang; Chwei-Shyong Tsai; Tung-Shou Chen;
[Parallel and Distributed Systems, 2000. Proceedings. Seventh International C](#)
4-7 July 2000 Page(s):21 - 27
Digital Object Identifier 10.1109/ICPADS.2000.857679
[AbstractPlus](#) | Full Text: [PDF\(768 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **18. An open source based application for integration and sharing of multi-m
image data in a heterogeneous environment**
Marcheschi, P.; Positano, V.; Ferdeghini, E.M.; Mazzarisi, A.; Benassi, A.;
[Computers in Cardiology, 2003](#)
21-24 Sept. 2003 Page(s):367 - 370
Digital Object Identifier 10.1109/CIC.2003.1291168
[AbstractPlus](#) | Full Text: [PDF\(1413 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **19. A solution to Web-based remote sensing data access and analysis**
Tian, Y.F.; Zhang, J.F.; Feng, W.P.; Zhao, F.J.;
[Geoscience and Remote Sensing Symposium, 2005. IGARSS '05. Proceeding](#)
[International](#)
Volume 2, 25-29 July 2005 Page(s):3 pp.
Digital Object Identifier 10.1109/IGARSS.2005.1525225

[AbstractPlus](#) | Full Text: [PDF\(242 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **20. A Mobile Teleconference System for Homecare Services**
Zhaomin Zhang; Aiguo He; Daming Wei;
[Engineering in Medicine and Biology Society, 2005. IEEE-EMBS 2005. 27th Annual International Conference of the](#)
01-04 Sept. 2005 Page(s):3935 - 3938
[AbstractPlus](#) | Full Text: [PDF\(320 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **21. An Open Strategy for Implementing PACS and Its Primary Application**
Liu Jiquan; Chen Siping; Feng Jingyi; Huilong Duan;
[Engineering in Medicine and Biology Society, 2004. EMBC 2004. Conference Annual International Conference of the](#)
Volume 2, 2004 Page(s):3404 - 3407
Digital Object Identifier 10.1109/IEMBS.2004.1403956
[AbstractPlus](#) | Full Text: [PDF\(496 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **22. Halftone visual cryptography**
Zhi Zhou; Arce, G.R.; Di Crescenzo, G.;
[Image Processing, IEEE Transactions on](#)
Volume 15, Issue 8, Aug. 2006 Page(s):2441 - 2453
Digital Object Identifier 10.1109/TIP.2006.875249
[AbstractPlus](#) | Full Text: [PDF\(4752 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **23. New communication style using television broadcasting and the Internet**
Kageyama, M.; Murakami, T.; Tanabe, H.;
[Consumer Electronics, IEEE Transactions on](#)
Volume 48, Issue 3, Aug. 2002 Page(s):579 - 583
Digital Object Identifier 10.1109/TCE.2002.1037044
[AbstractPlus](#) | Full Text: [PDF\(617 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **24. Studies on parallel and distributed RS image issuance system based on**
Wu, H.Q.; Chi, T.H.; Fang, J.Y.; Zhang, X.;
[Geoscience and Remote Sensing Symposium, 2003. IGARSS '03. Proceeding International](#)
Volume 6, 21-25 July 2003 Page(s):3790 - 3792 vol.6
Digital Object Identifier 10.1109/IGARSS.2003.1295271
[AbstractPlus](#) | Full Text: [PDF\(1314 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **25. Common principles of image acquisition systems and biological vision**
Wandell, B.A.; El Gamal, A.; Girod, B.;
[Proceedings of the IEEE](#)
Volume 90, Issue 1, Jan. 2002 Page(s):5 - 17
Digital Object Identifier 10.1109/5.982401
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(193 KB\)](#) | Full Text: [HTML](#) IEEE
[Rights and Permissions](#)



[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

network <and> sharing <near/2> image

Search

[Advanced Search](#)
[Preferences](#)The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)**Web**Results 1 - 10 of about 841 for **network <and> sharing <near/2> image**. (0.15 seconds)Tip: Looking for pictures? Try [Google Images](#)**Reinacker Compares 3 Photo-Sharing Sites. - The Digital ...**

SmugMug has been awesome for me for my **near 2** years. ... Well a foolproof backup of my **images** and a way to **share** those with family ... Weblogs, Inc. **Network** ...
digitalphotography.weblogsinc.com/2005/11/23/reinacker-compares-3-photo-sharing-sites/
 - 88k - [Cached](#) - [Similar pages](#)

An Electrically Coupled Network of Skeletal Muscle in Zebrafish ...

Our patch clamp recordings from muscle pairs of zebrafish reveal a **network** of electrical coupling in slow muscle that allows **sharing** of synaptic current ...
www.jgp.org/cgi/content/full/128/1/89 - [Similar pages](#)

[PDF] An Electrically Coupled Network of Skeletal Muscle in Zebrafish ...

File Format: PDF/Adobe Acrobat

coupling approached zero at frequencies **near 2** kHz. (Fig. 1 D). Fast muscle was less effectively ... synaptic **sharing** differs between muscle type **networks**. ...
www.jgp.org/cgi/reprint/128/1/89.pdf - [Similar pages](#)

[PDF] An Adaptive TDMA Protocol for Soft Real-Time Wireless ...File Format: PDF/Adobe Acrobat - [View as HTML](#)

using an IEEE 802.11 **network**, **sharing** a single channel with ... lost, representing a percentage of **near 2**%. On the other. hand, without synchronization ...
wacerts.di.fc.ul.pt/papers/Session1-SantosAlmeidaFacchinetti.pdf - [Similar pages](#)

[PDF] Electronic structure of rhombohedral Ti O

File Format: PDF/Adobe Acrobat

(a) Simplified view of the rhombohedral corundum structure as a linked **network** of. NiAs-type face-**sharing** TiO. 6. octahedra with ordered Ti vacancies; ...
www.iop.org/EJ/article/0953-8984/8/33/007/c63302.pdf - [Similar pages](#)

[PDF] Spectrum Stretching: Adjusting to an Age of PlentyFile Format: PDF/Adobe Acrobat - [View as HTML](#)

PCS will be placed **near 2** GHz. AT&T has announced PCS experiments at 6 GHz. Motorola has ... These techniques might facilitate **sharing** between old and new ...
www.its.bldrdoc.gov/pub/spectrum_01-94/spectrum_01-94.pdf - [Similar pages](#)

[PDF] EEG changes accompanying learned regulation of 12-Hz EEG activity ...File Format: PDF/Adobe Acrobat - [View as HTML](#)

ence maximum at 12 Hz and smaller peak differences **near 2**, 4, 22, and ... of the Wadsworth Center, Albany, NY, for **sharing** the data on which ...
www.sccn.ucsd.edu/~scott/pdf/IEEE_Rehab03.pdf - [Similar pages](#)

Southern Topics, April 15, 1997

Once it achieves orbit, receipt of the first visible test **image** is expected on May 2, ... to facilitate **sharing** what they learned with other staff members. ...
www.srh.noaa.gov/topics/html/apr1597.htm - 25k - [Cached](#) - [Similar pages](#)

[PDF] Field-Induced Order and Spin Waves in the Pyrochlore ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

calized at the vertices of a cubic **network** of corner-sharing ... S-shaped rise from zero starting **near 2 T** and saturates ...

www.ncnr.nist.gov/instruments/dcs/dcs_pdf_files/Rule2006.pdf - [Similar pages](#)

Cisco PIX Firewall Release Notes, Version 6.1(2) [Cisco PIX ...

PIX 515E cannot load **image** from monitor mode on PCI slots. ... Information about Cisco products, technologies, and **network** solutions is available from ...

[www.cisco.com/en/US/products/sw/secursw/](http://www.cisco.com/en/US/products/sw/secursw/ps2120/prod_release_note09186a008057b8ff.html)

ps2120/prod_release_note09186a008057b8ff.html - 97k - [Cached](#) - [Similar pages](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Free! Speed up the web. [Download the Google Web Accelerator.](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

metadata and logic and partition

Search

[Advanced Search](#)
[Preferences](#)The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)**Web**Results 1 - 10 of about 904,000 for **metadata and logic and partition**. (0.45 seconds)**[doc] ABRIDGED**File Format: Microsoft Word - [View as HTML](#)Table 1 shows an example of the **metadata** created for one of the stations. ... But, we sometimes could not trace any **logic** in **partition** of data from single ...www1.ncdc.noaa.gov/pub/data/documentlibrary/tddoc/td6421.doc - [Similar pages](#)**[PDF] National Climatic Data Center DATA DOCUMENTATION FOR DATA SET 6421 ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)to year 2000), collected and digitized the station **metadata** related to the ... not trace any **logic** in **partition** of data from single station between ...www1.ncdc.noaa.gov/pub/data/documentlibrary/tddoc/td6421.pdf - [Similar pages](#)**[A Conversation with Adam Bosworth @ WEBLOGIC JOURNAL](#)**When you build a Web site you want to build four kinds of **logic**. ... so you can see the overall layout and flow of your **logic and partition** it in a natural ...weblogic.sys-con.com/read/42928.htm - 85k - [Cached](#) - [Similar pages](#)**[Citebase - Contexts in quantum, classical and partition logic](#)**Contexts in quantum, classical and **partition logic** ... Full-texts, references and **metadata** are the copyright of the named author(s) and/or the respective ...www.citebase.org/abstract?id=oai%3AarXiv.org%3Aquant-ph%2F0609209 - 12k -[Cached](#) - [Similar pages](#)**[PDF] Simplified Common Logic (SCL) Draft Metamodel**File Format: PDF/Adobe Acrobat - [View as HTML](#)Common **Logic** (CL) initiative brought to ISO JTF 1 / SC 32 / WG 2 on **metadata** ... The Name/CommentedTerm/Application **partition** is disjoint ...www.sandsoft.com/docs/SCLMetamodel.pdf - [Similar pages](#)**[PDF] Architecture and Circuit Techniques for a 1.1-GHz 16-kb ...**

File Format: PDF/Adobe Acrobat

the block size based on the optimal **partition** size for large SRAM ... mat **metadata** and peripheral **logic** to achieve fast, low-power. operation. ...ieeexplore.ieee.org/iel5/4/30030/01375010.pdf - [Similar pages](#)**[PDF] Author Guidelines for 8**

File Format: PDF/Adobe Acrobat

Partition Objects, Collection Object and User Object. Root object is the object of **logic** unit in the OSD, and, each OSD only has one root object. ...ieeexplore.ieee.org/iel5/11002/34686/01654548.pdf?isnumber=34686&prod=CNF&arnumber=1654548&ar... - [Similar pages](#)**[University of Georgia: EITS: Information Security](#)**Formatting Data - See **Metadata** Fuzzy **logic** - In searching for a word or phrase, ... toSwap File **Partition** Waste Space After the boot sector of a **partition**, ...www.infosec.uga.edu/glossary.php?question=nq - 96k - [Cached](#) - [Similar pages](#)**[xml-dev - Re: Success factors for the Web and Semantic Web](#)**

True, this is partly due to the promotion of >**metadata** and the synergy ... to categorize and maybe even **partition** data into more field-specific areas, ...
lists.xml.org/archives/xml-dev/200012/msg00412.html - 17k - [Cached](#) - [Similar pages](#)

European Grid of Solar Observations

Consumer Role Business **Logic**. The role of the Consumer is divided into four task oriented ... all Brokers store a complete copy of the system **metadata** ...
www.mssl.ucl.ac.uk/grid/egso/communities/grid/architecture.php - 22k -
[Cached](#) - [Similar pages](#)

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

Free! Speed up the web. [Download the Google Web Accelerator](#).

metadata and logic and partition

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google



Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((logic <near/3> partition)<in>metadata)"

Your search matched **949** of **1430374** documents.A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

((logic <near/3> partition)<in>metadata)

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEEE Conference Proceeding

IEEE STD IEEE Standard

[view selected items](#)[Select All](#) [Deselect All](#)View: [1-25](#) | [26-5](#)

- ☐ 1. **Fast floorplanning by look-ahead enabled recursive bipartitioning**
Cong, J.; Romesis, M.; Shinnerl, J.R.;
[Computer-Aided Design of Integrated Circuits and Systems, IEEE Transaction: Volume 25, Issue 9, Sept. 2006 Page\(s\):1719 - 1732](#)
Digital Object Identifier 10.1109/TCAD.2005.859519
[AbstractPlus](#) | Full Text: [PDF\(440 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ 2. **System-level power-performance tradeoffs for reconfigurable computing**
Noguera, J.; Badia, R.M.;
[Very Large Scale Integration \(VLSI\) Systems, IEEE Transactions on Volume 14, Issue 7, July 2006 Page\(s\):730 - 739](#)
Digital Object Identifier 10.1109/TVLSI.2006.878343
[AbstractPlus](#) | Full Text: [PDF\(1744 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ 3. **On a Pin Versus Block Relationship For Partitions of Logic Graphs**
Landman, B.S.; Russo, R.L.;
[Computers, IEEE Transactions on Volume C-20, Issue 12, Dec. 1971 Page\(s\):1469 - 1479](#)
[AbstractPlus](#) | Full Text: [PDF\(2056 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ 4. **A Heuristic Procedure for the Partitioning and Mapping of Computer Logi**
Russo, R.L.; Oden, P.H.; Wolff, P.K., Sr.;
[Computers, IEEE Transactions on Volume C-20, Issue 12, Dec. 1971 Page\(s\):1455 - 1462](#)
[AbstractPlus](#) | Full Text: [PDF\(1616 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ 5. **Functional Partitioning and Simulation of Digital Circuits**
Breuer, M.A.;
[Computers, IEEE Transactions on Volume C-19, Issue 11, Nov. 1970 Page\(s\):1038 - 1046](#)
[AbstractPlus](#) | Full Text: [PDF\(1560 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **6. Module Clustering to Minimize Delay in Digital Networks**
Lawler, E.L.; Levitt, K.N.; Turner, J.;
Computers, IEEE Transactions on
Volume C-18, Issue 1, Jan. 1969 Page(s):47 - 57
[AbstractPlus](#) | Full Text: [PDF\(3008 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **7. An Example Computer Logic Graph and Its Partitions and Mappings**
Mennone, A.; Russo, R.L.;
Computers, IEEE Transactions on
Volume C-23, Issue 11, Nov. 1974 Page(s):1198 - 1204
[AbstractPlus](#) | Full Text: [PDF\(1152 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **8. Min-cut floorplacement**
Roy, J.A.; Adya, S.N.; Papa, D.A.; Markov, I.L.;
Computer-Aided Design of Integrated Circuits and Systems, IEEE Transaction:
Volume 25, Issue 7, July 2006 Page(s):1313 - 1326
Digital Object Identifier 10.1109/TCAD.2005.855969
[AbstractPlus](#) | Full Text: [PDF\(1088 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **9. Wirelength minimization for min-cut placements via placement feedback**
Kahng, A.B.; Reda, S.;
Computer-Aided Design of Integrated Circuits and Systems, IEEE Transaction:
Volume 25, Issue 7, July 2006 Page(s):1301 - 1312
Digital Object Identifier 10.1109/TCAD.2005.855917
[AbstractPlus](#) | Full Text: [PDF\(568 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **10. Multiobjective hypergraph-partitioning algorithms for cut and maximum degree minimization**
Selvakkumaran, N.; Karypis, G.;
Computer-Aided Design of Integrated Circuits and Systems, IEEE Transaction
Volume 25, Issue 3, March 2006 Page(s):504 - 517
Digital Object Identifier 10.1109/TCAD.2005.854637
[AbstractPlus](#) | Full Text: [PDF\(376 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **11. High-end server system partitioning for cost reduction**
Katopis, G.A.; Tingdong Zhou; Thornton, M.;
Advanced Packaging, IEEE Transactions on [see also Components, Packagin
Manufacturing Technology, Part B: Advanced Packaging, IEEE Transactions c
Volume 29, Issue 1, Feb. 2006 Page(s):5 - 10
Digital Object Identifier 10.1109/TADVP.2005.862644
[AbstractPlus](#) | Full Text: [PDF\(280 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **12. Frequent loop detection using efficient nonintrusive on-chip hardware**
Gordon-Ross, A.; Vahid, F.;
Computers, IEEE Transactions on
Volume 54, Issue 10, Oct. 2005 Page(s):1203 - 1215
Digital Object Identifier 10.1109/TC.2005.165
[AbstractPlus](#) | Full Text: [PDF\(1808 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **13. An efficient profile-based algorithm for scratchpad memory partitioning**
Angiolini, F.; Benini, L.; Caprara, A.;
Computer-Aided Design of Integrated Circuits and Systems, IEEE Transaction

Volume 24, Issue 11, Nov. 2005 Page(s):1660 - 1676

Digital Object Identifier 10.1109/TCAD.2005.852299

[AbstractPlus](#) | Full Text: [PDF\(1024 KB\)](#) IEEE JNL

[Rights and Permissions](#)

- ☐ **14. Generation of distributed logic-memory architectures through high-level**
Chao Huang; Ravi, S.; Raghunathan, A.; Jha, N.K.;
[Computer-Aided Design of Integrated Circuits and Systems, IEEE Transaction](#)
Volume 24, Issue 11, Nov. 2005 Page(s):1694 - 1711
Digital Object Identifier 10.1109/TCAD.2005.852276
[AbstractPlus](#) | Full Text: [PDF\(1336 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **15. Simulated Annealing Without Rejected Moves**
Greene, J.W.; Supowit, K.J.;
[Computer-Aided Design of Integrated Circuits and Systems, IEEE Transaction](#)
Volume 5, Issue 1, January 1986 Page(s):221 - 228
[AbstractPlus](#) | Full Text: [PDF\(1184 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **16. Logic Partitioning for Minimizing Gate Arrays**
Palesko, C.A.; Akers, L.A.;
[Computer-Aided Design of Integrated Circuits and Systems, IEEE Transaction](#)
Volume 2, Issue 2, April 1983 Page(s):117 - 121
[AbstractPlus](#) | Full Text: [PDF\(792 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **17. Logic partition for multiemitter two-level structures**
Elmasry, M.; Thompson, P.;
[Circuits and Systems, IEEE Transactions on](#)
Volume 21, Issue 3, May 1974 Page(s):354 - 359
[AbstractPlus](#) | Full Text: [PDF\(536 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **18. A structured approach for VLSI circuit design**
Gu, J.; Smith, K.F.;
[Computer](#)
Volume 22, Issue 11, Nov. 1989 Page(s):9 - 22
Digital Object Identifier 10.1109/2.43523
[AbstractPlus](#) | Full Text: [PDF\(1144 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **19. Partitioning logic on graph structures to minimize routing cost**
Vijayan, G.;
[Computer-Aided Design of Integrated Circuits and Systems, IEEE Transaction](#)
Volume 9, Issue 12, Dec. 1990 Page(s):1326 - 1334
Digital Object Identifier 10.1109/43.62777
[AbstractPlus](#) | Full Text: [PDF\(808 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **20. Bipolar circuit elements providing self-completion-indication**
Williams, T.E.; Horowitz, M.;
[Solid-State Circuits, IEEE Journal of](#)
Volume 25, Issue 1, Feb. 1990 Page(s):309 - 312
Digital Object Identifier 10.1109/4.50319
[AbstractPlus](#) | Full Text: [PDF\(340 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **21. PREST: a system for logic partitioning and resynthesis for testability**
De, K.; Banerjee, P.;
[Very Large Scale Integration \(VLSI\) Systems, IEEE Transactions on](#)
Volume 1, Issue 4, Dec. 1993 Page(s):514 - 525
Digital Object Identifier 10.1109/92.250199
[AbstractPlus](#) | Full Text: [PDF\(1020 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **22. A general purpose, multiple-way partitioning algorithm**
Ching-Wei Yeh; Chung-Kuan Cheng; Lin, T.T.Y.;
[Computer-Aided Design of Integrated Circuits and Systems, IEEE Transaction](#)
Volume 13, Issue 12, Dec. 1994 Page(s):1480 - 1488
Digital Object Identifier 10.1109/43.331405
[AbstractPlus](#) | Full Text: [PDF\(700 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **23. Design and analysis of segmented routing channels for row-based FPGA**
Pedram, M.; Nobandegani, B.S.; Preas, B.T.;
[Computer-Aided Design of Integrated Circuits and Systems, IEEE Transaction](#)
Volume 13, Issue 12, Dec. 1994 Page(s):1470 - 1479
Digital Object Identifier 10.1109/43.331404
[AbstractPlus](#) | Full Text: [PDF\(876 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **24. A weighted Steiner tree-based global router with simultaneous length and minimization**
Chiang, C.; Wong, C.K.; Sarrafzadeh, M.;
[Computer-Aided Design of Integrated Circuits and Systems, IEEE Transaction](#)
Volume 13, Issue 12, Dec. 1994 Page(s):1461 - 1469
Digital Object Identifier 10.1109/43.331403
[AbstractPlus](#) | Full Text: [PDF\(876 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **25. Combined topological and functionality-based delay estimation using a linear approach for high-level applications**
Ramachandran, C.; Kurdahi, F.J.;
[Computer-Aided Design of Integrated Circuits and Systems, IEEE Transaction](#)
Volume 13, Issue 12, Dec. 1994 Page(s):1450 - 1460
Digital Object Identifier 10.1109/43.331402
[AbstractPlus](#) | Full Text: [PDF\(1000 KB\)](#) IEEE JNL
[Rights and Permissions](#)

View: 1-25 | 26-5

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

site:citeseer.ist.psu.edu metadata and logic and

Search

[Advanced Search](#)
[Preferences](#)The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)**Web** Results 1 - 10 of about 34 from citeseer.ist.psu.edu for metadata and logic and partition. (0.09 second)**Retrieval [CiteSeer; NEC Research Institute; Steve Lawrence, Kurt ...**By using tokentemplates in conjunction with **logic** programs we. ... Ontology and **Metadata** Creation for the Poseidon Distributed Coastal. ...

citeseer.ist.psu.edu/InformationRetrieval/Retrieval/date.html - 131k - Supplemental Result -

[Cached](#) - [Similar pages](#)**Citations: ConceptBase -- a deductive object manager for meta data ...**ConceptBase -- a deductive object manager for **meta data** bases. ... extensible modeling languages, as well as **logic** based deductive rules and integrityciteseer.ist.psu.edu/context/115700/0 - 15k - [Cached](#) - [Similar pages](#)**rosana herrera - ResearchIndex document query**Tuning fuzzy **logic** www.rpi.edu/~bonisp/fuzzy-course/Papers-ps/train.ps ... form of **metadata** are transmitted Amatriain and Herrera Transmitting Audio Content ...

citeseer.ist.psu.edu/cis?q=Rosana+Herrera - 21k - Supplemental Result -

[Cached](#) - [Similar pages](#)**Citations: Database Systems: The Complete Book - Garcia-Molina ...**Edutella Network Datalog based ECDM **Metadata** repository 1 Local query Local query ...Figure 3: **Partition** and identi cation functions for four attributes. ...citeseer.ist.psu.edu/context/2080932/0 - 24k - [Cached](#) - [Similar pages](#)**An Optimization for Query Answering on (ResearchIndex)**However, reasoning even on a description **logic** weaker than OWL, faces efficiency problem. To obviate this problem, at least for we propose a **partition** ...citeseer.ist.psu.edu/744046.html - 19k - [Cached](#) - [Similar pages](#)**Relational [CiteSeer; NEC Research Institute; Steve Lawrence, Kurt ...**Sequoia 2000 **Metadata** Schema For Satellite Images - Anderson, ... d-dimensional array of non-negative numbers and a tile limit p, **partition** the array into

citeseer.ist.psu.edu/Databases/Relational/date.html - 147k - Supplemental Result -

[Cached](#) - [Similar pages](#)**patrick j stockreisser - ResearchIndex document query**Overview of F-**logic** from Database Transformation Perspective - Kovács, ... Zion 13-1 A **Metadata** Repository API Patrick Martin, Wendy Powley & Peter Zion ...

citeseer.ist.psu.edu/cs?q=Patrick%20J.%20Stockreisser&

cs=1&submit=Search+Documents&af=Any&... - 23k - Supplemental Result -

[Cached](#) - [Similar pages](#)**Citations: Cluster-based scalable network services - Fox, Gribble ...**...the image store service is partitioned into two **partition** groups. ... time redundancy and diversity of programming **logic** (eg recovery blocks [7] where ...

citeseer.ist.psu.edu/context/1564/129214 - 45k - Supplemental Result -

[Cached](#) - [Similar pages](#)**Citations: An Introduction to Gofer - Jones (ResearchIndex)**Use of **metadata** in P FDM [Embury92] which can be accessed uniformly in a DAPLEX ... this definition of **partition** satisfies the correctness requirement that ...

citeseer.ist.psu.edu/context/129691/0 - 30k - [Cached](#) - [Similar pages](#)

[Formal Languages \[CiteSeer; NEC Research Institute; Steve Lawrence ...](#)
Mathematical **Logic** and Formal Languages Mathematical **Logic** Lambda ... pcfg Learning
by **Partition** Search is a general grammatical inference method for ...
citeseer.ist.psu.edu/Theory/FormalLanguages/date.html - 112k - [Cached](#) - [Similar pages](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [Next](#)

Free! Speed up the web. [Download the Google Web Accelerator.](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

[Home](#) [About](#) [Contact](#) [Privacy](#) [Terms](#)

[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

 Terms used **metadata** and **logic** and **partition**

Found 205 of 189,785

Sort results by


[Save results to a Binder](#)
[Try an Advanced Search](#)
[Try this search in The ACM Guide](#)

Display results


[Search Tips](#)
☐ Open results in a new window

Results 1 - 20 of 200

 Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

 Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Relational languages for metadata integration](#)



Catharine M. Wyss, Edward L. Robertson

 June 2005 **ACM Transactions on Database Systems (TODS)**, Volume 30 Issue 2

Publisher: ACM Press

 Full text available: pdf(692.43 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

In this article, we develop a relational algebra for metadata integration, *Federated Interoperable Relational Algebra* (FIRA). FIRA has many desirable properties such as compositionality, closure, a deterministic semantics, a modest complexity, support for nested queries, a subalgebra equivalent to canonical Relational Algebra (RA), and robustness under certain classes of schema evolution. Beyond this, FIRA queries are capable of producing fully dynamic output schemas, where the number of ...

Keywords: Data integration, federated data model, federated databases, interoperability, metadata integration, metadata querying, multidatabases, relational query algebra, schema integration, transformational completeness

2 [Query evaluation techniques for large databases](#)



Goetz Graefe

 June 1993 **ACM Computing Surveys (CSUR)**, Volume 25 Issue 2

Publisher: ACM Press

 Full text available: pdf(9.37 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Database management systems will continue to manage large data volumes. Thus, efficient algorithms for accessing and manipulating large sets and sequences will be required to provide acceptable performance. The advent of object-oriented and extensible database systems will not solve this problem. On the contrary, modern data models exacerbate the problem: In order to manipulate large sets of complex objects as efficiently as today's database systems manipulate simple records, query-processi ...

Keywords: complex query evaluation plans, dynamic query evaluation plans, extensible database systems, iterators, object-oriented database systems, operator model of parallelization, parallel algorithms, relational database systems, set-matching algorithms, sort-hash duality

3 The Vesta parallel file system



Peter F. Corbett, Dror G. Feitelson

August 1996 **ACM Transactions on Computer Systems (TOCS)**, Volume 14 Issue 3

Publisher: ACM Press

Full text available: [pdf\(649.08 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

The Vesta parallel file system is designed to provide parallel file access to application programs running on multicomputers with parallel I/O subsystems. Vesta uses a new abstraction of files: a file is not a sequence of bytes, but rather it can be partitioned into multiple disjoint sequences that are accessed in parallel. The partitioning—which can also be changed dynamically—reduces the need for synchronization and coordination during the access. Some control over the layout ...

Keywords: data partitioning, parallel computing, parallel file system

4 Algorithms and data structures for flash memories



Eran Gal, Sivan Toledo

June 2005 **ACM Computing Surveys (CSUR)**, Volume 37 Issue 2

Publisher: ACM Press

Full text available: [pdf\(343.39 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Flash memory is a type of electrically-erasable programmable read-only memory (EEPROM). Because flash memories are nonvolatile and relatively dense, they are now used to store files and other persistent objects in handheld computers, mobile phones, digital cameras, portable music players, and many other computer systems in which magnetic disks are inappropriate. Flash, like earlier EEPROM devices, suffers from two limitations. First, bits can only be cleared by erasing a large block of memory. S ...

Keywords: EEPROM memory, Flash memory, wear leveling

5 SchemaSQL: An extension to SQL for multidatabase interoperability



Laks V. S. Lakshmanan, Fereidoon Sadri, Subbu N. Subramanian

December 2001 **ACM Transactions on Database Systems (TODS)**, Volume 26 Issue 4

Publisher: ACM Press

Full text available: [pdf\(435.89 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

We provide a principled extension of SQL, called *SchemaSQL*, that offers the capability of uniform manipulation of data and schema in relational multidatabase systems. We develop a precise syntax and semantics of *SchemaSQL* in a manner that extends traditional SQL syntax and semantics, and demonstrate the following. (1) *SchemaSQL* retains the flavor of SQL while supporting querying of both data and schema. (2) It can be used to transform data in a database in a structure substa ...

Keywords: Information integration, SchemaSQL, multidatabase systems, restructuring views, schematic heterogeneity

6 Practical byzantine fault tolerance and proactive recovery



Miguel Castro, Barbara Liskov

November 2002 **ACM Transactions on Computer Systems (TOCS)**, Volume 20 Issue 4

Publisher: ACM Press

Full text available: [pdf\(1.63 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index](#)

[terms, review](#)

Our growing reliance on online services accessible on the Internet demands highly available systems that provide correct service without interruptions. Software bugs, operator mistakes, and malicious attacks are a major cause of service interruptions and they can cause arbitrary behavior, that is, Byzantine faults. This article describes a new replication algorithm, BFT, that can be used to build highly available systems that tolerate Byzantine faults. BFT can be used in practice to implement re ...

Keywords: Byzantine fault tolerance, asynchronous systems, proactive recovery, state machine replication, state transfer

7 [Real-time shading](#)



Marc Olano, Kurt Akeley, John C. Hart, Wolfgang Heidrich, Michael McCool, Jason L. Mitchell, Randi Rost
August 2004 **ACM SIGGRAPH 2004 Course Notes SIGGRAPH '04**

Publisher: ACM Press

Full text available: [pdf\(7.39 MB\)](#) Additional Information: [full citation](#), [abstract](#)

Real-time procedural shading was once seen as a distant dream. When the first version of this course was offered four years ago, real-time shading was possible, but only with one-of-a-kind hardware or by combining the effects of tens to hundreds of rendering passes. Today, almost every new computer comes with graphics hardware capable of interactively executing shaders of thousands to tens of thousands of instructions. This course has been redesigned to address today's real-time shading capabili ...

8 [A taxonomy of Data Grids for distributed data sharing, management, and processing](#)



Srikumar Venugopal, Rajkumar Buyya, Kotagiri Ramamohanarao
June 2006 **ACM Computing Surveys (CSUR)**, Volume 38 Issue 1

Publisher: ACM Press

Full text available: [pdf\(1.70 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Data Grids have been adopted as the next generation platform by many scientific communities that need to share, access, transport, process, and manage large data collections distributed worldwide. They combine high-end computing technologies with high-performance networking and wide-area storage management techniques. In this article, we discuss the key concepts behind Data Grids and compare them with other data sharing and distribution paradigms such as content delivery networks, peer-to-peer n ...

Keywords: Grid computing, data-intensive applications, replica management, virtual organizations

9 [Modeling the storage architectures of commercial database systems](#)



D. S. Batory
December 1985 **ACM Transactions on Database Systems (TODS)**, Volume 10 Issue 4

Publisher: ACM Press

Full text available: [pdf\(4.46 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms, review](#)

Modeling the storage structures of a DBMS is a prerequisite to understanding and optimizing database performance. Previously, such modeling was very difficult because the fundamental role of conceptual-to-internal mappings in DBMS implementations went unrecognized. In this paper we present a model of physical databases, called the transformation model, that makes conceptual-to-internal mappings explicit. By exposing such mappings, we show that it is possible to model the storage ...

10 Course and exercise sequencing using metadata in adaptive hypermedia learning systems



Stephan Fischer

March 2001 **Journal on Educational Resources in Computing (JERIC)**

Publisher: ACM Press

Full text available: pdf(115.01 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citings](#), [index terms](#), [review](#)

In the last few years the (semi-) automatic sequencing of course material has become an important research issue, particularly the standardization of metadata for educational resources. Sequencing can help to generate hypermedia documents which, at their best match the learner's needs. To perform (semi-) automatic course sequencing, a knowledge library as well as modular resources can be used. Both must be described by metadata. ...

Keywords: adaptive hypermedia systems, hypermedia learning, knowledge engineering, sequencing of course material

11 HFS: a performance-oriented flexible file system based on building-block compositions



Orran Krieger, Michael Stumm

August 1997 **ACM Transactions on Computer Systems (TOCS)**, Volume 15 Issue 3

Publisher: ACM Press

Full text available: pdf(383.87 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citings](#), [index terms](#), [review](#)

The Hurricane File System (HFS) is designed for (potentially large-scale) shared-memory multiprocessors. Its architecture is based on the principle that, in order to maximize performance for applications with diverse requirements, a file system must support a wide variety of file structures, file system policies, and I/O interfaces. Files in HFS are implemented using simple building blocks composed in potentially complex ways. This approach yields great flexibility, allowing an application ...

Keywords: customization, data partitioning, data replication, flexibility, parallel computing, parallel file system

12 A model of multimedia information retrieval



Carlo Meghini, Fabrizio Sebastiani, Umberto Straccia

September 2001 **Journal of the ACM (JACM)**, Volume 48 Issue 5

Publisher: ACM Press

Full text available: pdf(5.69 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citings](#), [index terms](#)

Research on multimedia information retrieval (MIR) has recently witnessed a booming interest. A prominent feature of this research trend is its simultaneous but independent materialization within several fields of computer science. The resulting richness of paradigms, methods and systems may, on the long run, result in a fragmentation of efforts and slow down progress. The primary goal of this study is to promote an integration of methods and techniques for MIR by contributing a conceptual model ...

Keywords: Description logics, fuzzy logics, multimedia information retrieval

13 Model-driven development of Web applications: the AutoWeb system



Piero Fraternali, Paolo Paolini

October 2000 **ACM Transactions on Information Systems (TOIS)**, Volume 18 Issue 4

Publisher: ACM Press

Full text available: pdf(6.94 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

This paper describes a methodology for the development of WWW applications and a tool environment specifically tailored for the methodology. The methodology and the development environment are based upon models and techniques already used in the hypermedia, information systems, and software engineering fields, adapted and blended in an original mix. The foundation of the proposal is the conceptual design of WWW applications, using HDM-lite, a notation for the specification of structure, nav ...

Keywords: HTML, WWW, application, development, intranet, modeling

14 The Conquest file system: Better performance through a disk/persistent-RAM hybrid design



An-I Andy Wang, Geoff Kuenning, Peter Reiher, Gerald Popek

August 2006 **ACM Transactions on Storage (TOS)**, Volume 2 Issue 3

Publisher: ACM Press

Full text available: pdf(1.34 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Modern file systems assume the use of disk, a system-wide performance bottleneck for over a decade. Current disk caching and RAM file systems either impose high overhead to access memory content or fail to provide mechanisms to achieve data persistence across reboots. The *Conquest* file system is based on the observation that memory is becoming inexpensive, which enables all file system services to be delivered from memory, except for providing large storage capacity. Unlike caching, *Con* ...

Keywords: *Persistent RAM, file systems, performance measurement, storage management*

15 Improving storage system availability with D-GRAID



Muthian Sivathanu, Vijayan Prabhakaran, Andrea C. Arpaci-Dusseau, Remzi H. Arpaci-Dusseau

May 2005 **ACM Transactions on Storage (TOS)**, Volume 1 Issue 2

Publisher: ACM Press

Full text available: pdf(700.30 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

We present the design, implementation, and evaluation of D-GRAID, a gracefully degrading and quickly recovering RAID storage array. D-GRAID ensures that most files within the file system remain available even when an unexpectedly high number of faults occur. D-GRAID achieves high availability through aggressive replication of semantically critical data, and fault-isolated placement of logically related data. D-GRAID also recovers from failures quickly, restoring only live file system data to a h ...

Keywords: Block-based storage, Disk array, RAID, fault isolation, file systems, smart disks

16 The Integrated Dictionary/Directory System



Frank W. Allen, Mary E. S. Loomis, Michael V. Mannino

June 1982 **ACM Computing Surveys (CSUR)**, Volume 14 Issue 2

Publisher: ACM Press

Full text available:  pdf(2.71 MB)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

17 Ext3cow: a time-shifting file system for regulatory compliance



Zachary Peterson, Randal Burns

May 2005 **ACM Transactions on Storage (TOS)**, Volume 1 Issue 2

Publisher: ACM Press

Full text available:  pdf(443.01 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

The ext3cow file system, built on the popular ext3 file system, provides an open-source file versioning and snapshot platform for compliance with the versioning and auditability requirements of recent electronic record retention legislation. Ext3cow provides a *time-shifting* interface that permits a real-time and continuous view of data in the past. Time-shifting does not pollute the file system namespace nor require snapshots to be mounted as a separate file system. Further, ext3cow is i ...

Keywords: Versioning file systems, copy-on-write

18 Cheap recovery: a key to self-managing state



Andrew C. Huang, Armando Fox

February 2005 **ACM Transactions on Storage (TOS)**, Volume 1 Issue 1

Publisher: ACM Press

Full text available:  pdf(1.24 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Cluster hash tables (CHTs) are key components of many large-scale Internet services due to their highly-scalable performance and the prevalence of the type of data they store. Another advantage of CHTs is that they can be designed to be as self-managing as a cluster of stateless servers. One key to achieving this extreme manageability is reboot-based recovery that is predictably fast and has modest impact on system performance and availability. This "cheap" recovery mechanism simplifies manage ...

Keywords: Cluster hash table, manageability, quorum replication, storage systems design

19 On incremental file system development



Erez Zadok, Rakesh Iyer, Nikolai Joukov, Gopalan Sivathanu, Charles P. Wright

May 2006 **ACM Transactions on Storage (TOS)**, Volume 2 Issue 2

Publisher: ACM Press

Full text available:  pdf(260.40 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Developing file systems from scratch is difficult and error prone. Using layered, or stackable, file systems is a powerful technique to incrementally extend the functionality of existing file systems on commodity OSes at runtime. In this article, we analyze the evolution of layering from historical models to what is found in four different present day commodity OSes: Solaris, FreeBSD, Linux, and Microsoft Windows. We classify layered file systems into five types based on their functionality and ...

Keywords: I/O manager, IRP, Layered file systems, VFS, extensibility, stackable file systems, vnode

20

The 3DIS: an extensible object-oriented information management environment



Hamideh Afsarmanesh, Dennis McLeod

October 1989 **ACM Transactions on Information Systems (TOIS)**, Volume 7 Issue 4

Publisher: ACM Press

Full text available: pdf(2.79 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

The 3-Dimensional Information Space (3DIS) is an extensible object-oriented framework for information management. It is specifically oriented toward supporting the database requirements for data-intensive information system applications in which (1) information objects of various levels of abstraction and modalities must be accommodated, (2) descriptive and structural information (metadata) is rich and dynamic, and (3) users who are not database experts must be able to design, manipulate, a ...

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)Useful downloads: [Adobe Acrobat](#) [QuickTime](#) [Windows Media Player](#) [Real Player](#)

Thai, Hanh

From: Norris, Tremayne M. (SHB) [TNORRIS@shb.com]
Sent: Thursday, November 09, 2006 2:46 PM
To: Thai, Hanh
Subject: Application 10/608193 -MFCP.103967 - Proposed Amendments for Examiner's Amendment

Hello Examiner Thai,

Attached are the proposed claim amendments to incorporate into an Examiner's Amendment. Please let me know if this will place the application in a condition for allowance.

Thanks,

Tremayne Norris
Patent Agent
Shook, Hardy & Bacon, L.L.P.
600 14th Street, NW
Washington, DC 20005
202-383-8423, x46048

Mail Gate made the following annotations on Thu Nov 09 2006 13:53:01

CONFIDENTIALITY NOTICE: This e-mail message including attachments, if any, is intended for the person or entity to which it is addressed and may contain confidential and/or privileged material. Any unauthorized review, use, disclosure or distribution is prohibited. If you are not the intended recipient, please contact the sender by reply e-mail and destroy all copies of the original message. Thank you.

11/9/06